



P3, mineral oil, 5 l

P3, mineral oil, 5 l

- High- quality mineral oil for standard applications to pump down air, inert gases and noble gases
- Used for high operating temperatures up to max. 95 °C
- Extremely low vapor pressure, achievable ultimate pressure $< 1 \cdot 10^{-3}$ hPa

Technical Data	P3, mineral oil, 5 l
Achievable ultimate pressure	$< 1 \cdot 10^{-3}$ hPa $< 7.5 \cdot 10^{-4}$ Torr $< 1 \cdot 10^{-3}$ mbar
Operating fluid filling	5 l

Order number	
P3	PK 001 107 -T

VACUUM SOLUTIONS FROM A SINGLE SOURCE

Pfeiffer Vacuum stands for innovative and custom vacuum solutions worldwide, technological perfection, competent advice and reliable service.

COMPLETE RANGE OF PRODUCTS

From a single component to complex systems:

We are the only supplier of vacuum technology that provides a complete product portfolio.

COMPETENCE IN THEORY AND PRACTICE

Benefit from our know-how and our portfolio of training opportunities!

We support you with your plant layout and provide first-class on-site service worldwide.

Are you looking for a
perfect vacuum solution?
Please contact us:

Pfeiffer Vacuum GmbH
Headquarters · Germany
T +49 6441 802-0
info@pfeiffer-vacuum.de

www.pfeiffer-vacuum.com

All data subject to change without prior notice.

PFEIFFER  **VACUUM**