



Heating sleeve for HiPace[®] 300 with TC 110, 115 V AC, ul plug



Similar Image

Heating sleeve for HiPace® 300 with TC 110, 115 V AC, ul plug

- Suitable for HiPace 300 with TC 110/TCP 350
- Mains supply with ul plug
- Cables and installation elements included in scope of delivery
- Connects with M8 plug directly to accessory outputs of connection cable, TCS 12/13 and TC 110 with interface (E74, RS)

Technical Data	Heating sleeve for HiPace® 300 with TC 110, 115 V AC, ul plug
Nominal diameter	130 mm
Plug	M8
Power consumption heating sleeve, max.	120 W
Pump	HiPace 300 with TC 110
Voltage	115 V AC

Order number	
Heating sleeve for HiPace® 300, 115 V AC	PM 061 365 -T

VACUUM SOLUTIONS FROM A SINGLE SOURCE

Pfeiffer Vacuum stands for innovative and custom vacuum solutions worldwide, technological perfection, competent advice and reliable service.

COMPLETE RANGE OF PRODUCTS

From a single component to complex systems:

We are the only supplier of vacuum technology that provides a complete product portfolio.

COMPETENCE IN THEORY AND PRACTICE

Benefit from our know-how and our portfolio of training opportunities!

We support you with your plant layout and provide first-class on-site service worldwide.

Are you looking for a
perfect vacuum solution?
Please contact us:

Pfeiffer Vacuum GmbH
Headquarters · Germany
T +49 6441 802-0
info@pfeiffer-vacuum.de

www.pfeiffer-vacuum.com

All data subject to change without prior notice.

PFEIFFER  **VACUUM**